



## TAIPEI EUROPEAN SCHOOL 台北歐洲學校

Swire European Primary Campus  
727 WenLin Road, ShihLin District,  
Taipei 11159, Taiwan, ROC  
Tel:+886-2-8145-9007 Fax:+886-2-2832-5058  
太古歐洲學園小學部  
11159台北市士林區文林路727號

Swire European Secondary Campus  
31 JianYe Road, ShihLin District,  
Taipei 11193, Taiwan, ROC  
Tel:+886-2-8145-9007 Fax:+886-2-2862-1458  
太古歐洲學園中學部  
11193台北市士林區建業路31號

### Returning to school following contraction of an infectious disease

Name of disease	Pathogen	Infection course	Incubation period	Permission for coming back to school
Influenza (seasonal)	Influenza virus	Droplet infection	1 to 2 days	(2 days after fever subsides) <b>Doctor's certificate</b>
Measles	Measles virus	Droplet infection	9 to 12 days	(3 days after fever subsides) <b>Doctor's certificate</b>
Mumps	Mumps virus	Droplet infection	14 to 21 days	<b>Doctor's certificate</b>
Rubella/German measles	Rubella virus	Droplet infection	14 to 21 days	(until rash disappears) <b>Doctor's certificate</b>
Chicken Pox	Varicella-zoster virus	Droplet infection	10 to 15 days	(until all blisters become crusted) <b>Doctor's certificate</b>
Enterovirus	Coxsacke virus/enterovirus	Droplet infection	7 to 14 days	<b>Doctor's certificate</b>
Pediculosis capttis (head lice)	Head Lice (pediculosis humanus capitis)	Contact infection	2 to 7 days	When head lice nits have been cleared, school nurse to check before returning to class <b>Doctor's certificate</b>
Conjunctivitis	Adeno virus	Contact infection	1 to 2 week	<b>Doctor's certificate</b>
Scabies	Sarcoptes Scabiesi Var	Contact infection	3 to 4 weeks	<b>Doctor's certificate</b>
Diarrhea		Bacterial infection	4 hours to 4 days	Until diarrhoea-free for 24 hours
Dengue fever	DENV-1, -2, -3, and -4	Mosquito bite infection	2 to 7 days	
Fifth Disease 'Slapped Cheek Syndrome'	Parvovirus B19	Respiratory or blood transmission	4 to 20 days	After you get the rash, you are probably not contagious <b>Doctor's certificate</b>
Norovirus	RNA	Contact infection		<b>Doctor's certificate</b>

